



TEST REPORT

Prepared for:

Ningbo Dingyu Technology Co., Ltd.

Building 34, Wanyang Zhongchuang Small and Micro Enterprise
Park, Dajiahe Town, Ninghai County, Ningbo City, Zhejiang
Province, China

Product Name: Stove fan

Model No.: Please refer to the next page(s).

Date of Test: From April 07, 2025 to April 11, 2025

Date of Report: April 22, 2025

Report Number: HK0225040150

Prepared by:

Zhejiang HUAK Testing Technology Co., LTD.

3F, Building 6, Block B, No. E21 Xinke Road, Choujiang Street,
Yiwu City, Jinhua, Zhejiang, China



TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 2 of 20

Applicant: Ningbo Dingyu Technology Co., Ltd.
Address: Building 34, Wanyang Zhongchuang Small and Micro Enterprise Park, Dajiahe Town, Ninghai County, Ningbo City, Zhejiang Province, China
Manufacturer: Ningbo Dingyu Technology Co., Ltd.
Address: Building 34, Wanyang Zhongchuang Small and Micro Enterprise Park, Dajiahe Town, Ninghai County, Ningbo City, Zhejiang Province, China

The following sample was submitted and identified by/on behalf of the client as:

Sample Name: Stove fan
Model No. : Please refer to the next page(s).
Sample Receiving Date: April 07, 2025
Testing Period: From April 07, 2025 to April 11, 2025
Results: Directive (EU) 2015/863-Amendment of EU RoHS Directive 2011/65/EU (RoHS 2.0) Annex II

Summary of Test Results:

Test Requested: According to customer's requirements, Split the sample and determine the Pb, Cd, Hg, Cr VI), PBBs & PBDEs, DBP, BBP, DEHP, DIBP content of the parts.

Conclusion: Base upon the performed tests by submitted sample, the test results comply with the limits as set by Directive (EU) 2015/863-Amendment of EU RoHS Directive 2011/65/EU (RoHS 2.0) Annex II.

Signed for and on behalf of HUAK

Approved by: Derick Qian

Lab Manager

Remark: Only selected materials were tested as per client's requirement.



TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 3 of 20

Model No. :

DY015J, DY012, DY014, DY015, DY016, DY017, DY024, DY025, DY026, DY027,
DY034, DY035, DY036, DY037, DY044, DY045, DY046, DY047, DY054, DY055,
DY056, DY057, DY064, DY066, DY067, DY084, DY086, DY087, DY213, DY214,
DY215, DY216, DY217, DY223, DY224, DY225, DY226, DY227, DY303, DY304,
DY305, DY306, DY307, DY115, DY116, DY117, DY125, DY126, DY127, DY263,
DY264, DY265, DY266, DY267, DY273, DY274, DY275, DY276, DY277, DY293,
DY294, DY295, DY296, DY297, DY353, DY334, DY325, DY342, DY204, DY205,
DY206, DY207, DY364, DY365, DY366, DY367, DY404, DY405, DY406, DY407,
DY414, DY415, DY416, DY417, DY424, DY425, DY426, DY427, DY503, DY504,
DY505, DY506, DY507, DY543, DY544, DY545, DY546, DY547, DY565, DY566,
DY575, DY576, DY614, DY615, DY616, DY617, DY624, DY625, DY626, DY627,
DY634, DY635, DY636, DY637, DY644, DY645, DY646, DY647

TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 4 of 20

Summary of Test Results:

TEST REQUEST

CONCLUSION

1. RoHS- the test results comply with the limits as set by Directive (EU) 2015/863- Amendment of EU RoHS Directive 2011/65/EU (RoHS 2.0) Annex II.

PASS

Tested part(s):

Seq. no	Test components description	Location
01	Black coating	Flabellum
02	Metal with silvery plating	Base material of flabellum
03	Metal with silvery plating	Round screw
04	Silvery metal with black coating	Big screw
05	Silvery metal with black coating	Small screw
06	Silvery metal with black coating	Connector of flabellum
07	Silvery metal with black coating	Back gear
08	Black plastic	Round plastic
09	Silvery metal with black coating	Long screw
10	Silvery metal with black coating	Small ring
11	Silvery metal with black coating	Base
12	Silvery metal with black coating	Support
13	Metal with silvery plating	Handle
14	Metal with silvery plating	Screw
15	Metal with silvery plating	Metal strip
16	Red plastic	Wire sheath
17	Black plastic	Wire sheath
18	Metal with silvery plating	Iron wire
19	Silvery coating	Square metal
20	Metal with silvery plating	Motor shell
21	Metal with silvery plating	Metal axle
22	Metal with silvery plating	Motor adapter ring

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 15 days only. The document is issued by Zhejiang HUAK Testing Technology Co., Ltd. this document cannot be reproduced except in full with our prior written permission.



TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 5 of 20

23	Metal with copper plating	Copper wire
24	White plastic	Motor base
25	Metal with slivery plating	Motor base
26	Metal with copper plating	Metal ring



TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 6 of 20

Test result:

1. RoHS

Test method:

1. Sample prepared with reference to IEC 62321-2:2021.
2. Sample Screening testing with reference to IEC 62321-3-1:2013.
3. Wet Chemical Test Method
 - a. Determination of Lead, Cadmium by ICP-OES with reference to IEC 62321-5:2013.
 - b. Determination of Mercury by ICP-OES with reference to IEC 62321-4:2013+AMD1:2017.
 - c. Determination of Hexavalent Chromium in colourless and coloured corrosion-protected coatings on metals by UV-VIS method reference to IEC 62321-7-1:2015.
 - d. Determination of Hexavalent Chromium in polymers and electronics by UV-Vis Method with reference to IEC 62321-7-2:2017.
 - e. Determination of PBBs and PBDEs by GC-MS with reference to IEC 62321-6:2015.
 - f. Determination of DBP, BBP, DEHP and DIBP by GC-MS with reference to IEC 62321-8:2017.

Test result:

No.	Restricted Substances	Result of EDXRF (1)	Result of Chemical Testing (2) (mg/kg)	Conclusion on RoHS
01	Pb	BL	---	Comply
	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	BL	---	Comply
	Br	BL	---	Comply
	PBBs	BL	---	Comply
	PBDEs	BL	---	Comply
	DBP	---	N.D.	Comply
	BBP	---	N.D.	Comply
	DEHP	---	N.D.	Comply
02	DIBP	---	N.D.	Comply
	Pb	BL	---	Comply
	Cd	BL	---	Comply
	Hg	BL	---	Comply
03	Cr (VI)	IN	N.D.	Comply
	Pb	BL	---	Comply
	Cd	BL	---	Comply
	Hg	BL	---	Comply
04	Cr (VI)	IN	N.D.	Comply
	Pb	BL	---	Comply
	Cd	BL	---	Comply
04	Hg	BL	---	Comply

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 15 days only. The document is issued by Zhejiang HUAK Testing Technology Co., Ltd. this document cannot be reproduced except in full with our prior written permission.



TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 7 of 20

	Cr (VI)	BL	---	Comply
05	Pb	BL	---	Comply
	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	IN	N.D.	Comply
	Pb	BL	---	Comply
06	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	BL	---	Comply
	Pb	BL	---	Comply
	Cd	BL	---	Comply
07	Hg	BL	---	Comply
	Cr (VI)	BL	---	Comply
	Pb	BL	---	Comply
	Cd	BL	---	Comply
	Hg	BL	---	Comply
08	Cr (VI)	BL	---	Comply
	Br	BL	---	Comply
	PBBs	BL	---	Comply
	PBDEs	BL	---	Comply
	DBP	---	N.D.	Comply
	BBP	---	N.D.	Comply
	DEHP	---	N.D.	Comply
	DIBP	---	N.D.	Comply
	Pb	BL	---	Comply
	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	IN	N.D.	Comply
09	Pb	BL	---	Comply
	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	BL	---	Comply
	Pb	BL	---	Comply
10	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	BL	---	Comply
	Pb	BL	---	Comply
	Cd	BL	---	Comply
11	Hg	BL	---	Comply
	Cr (VI)	BL	---	Comply
	Pb	BL	---	Comply
	Cd	BL	---	Comply
	Hg	BL	---	Comply
12	Cr (VI)	BL	---	Comply
	Pb	BL	---	Comply
	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	BL	---	Comply
13	Pb	BL	---	Comply

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 15 days only. The document is issued by Zhejiang HUAK Testing Technology Co., Ltd. this document cannot be reproduced except in full with our prior written permission.

Zhejiang HUAK Testing Technology Co., Ltd

E-Mail: derick@huakgroup.com

Tel: 0579-85892117

Add: 3rd Floor, Building 6, Area B, No. E21, Xinke Road, Choujiang Street, Jinhua City, Yiwu City, Zhejiang Province, China

<http://www.huakgroup.com>

TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 8 of 20

	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	IN	N.D.	Comply
	Pb	BL	---	Comply
14	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	IN	N.D.	Comply
	Pb	BL	---	Comply
15	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	IN	N.D.	Comply
	Pb	BL	---	Comply
16	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	BL	---	Comply
	Br	BL	---	Comply
	PBBs	BL	---	Comply
	PBDEs	BL	---	Comply
	DBP	---	N.D.	Comply
	BBP	---	N.D.	Comply
	DEHP	---	N.D.	Comply
	DIBP	---	N.D.	Comply
	Pb	BL	---	Comply
	Cd	BL	---	Comply
17	Hg	BL	---	Comply
	Cr (VI)	BL	---	Comply
	Br	BL	---	Comply
	PBBs	BL	---	Comply
	PBDEs	BL	---	Comply
	DBP	---	N.D.	Comply
	BBP	---	N.D.	Comply
	DEHP	---	N.D.	Comply
	DIBP	---	N.D.	Comply
	Pb	BL	---	Comply
18	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	BL	---	Comply
	Pb	BL	---	Comply
19	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	BL	---	Comply
	Pb	BL	---	Comply

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 15 days only. The document is issued by Zhejiang HUAK Testing Technology Co., Ltd. this document cannot be reproduced except in full with our prior written permission.

TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 9 of 20

20	Pb	BL	---	Comply
	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	BL	---	Comply
21	Pb	BL	---	Comply
	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	BL	---	Comply
22	Pb	BL	---	Comply
	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	IN	N.D.	Comply
23	Pb	BL	---	Comply
	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	BL	---	Comply
24	Pb	BL	---	Comply
	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	BL	---	Comply
	Br	BL	---	Comply
	PBBs	BL	---	Comply
	PBDEs	BL	---	Comply
	DBP	---	N.D.	Comply
	BBP	---	N.D.	Comply
	DEHP	---	N.D.	Comply
25	Pb	BL	---	Comply
	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	BL	---	Comply
26	Pb	BL	---	Comply
	Cd	BL	---	Comply
	Hg	BL	---	Comply
	Cr (VI)	BL	---	Comply

Remark:

(1) a. It is the result on total Br while test item on restricted substances is PBBs/PBDEs. It is the result on total Cr while test item on restricted substances is Cr (VI).

b. Results are obtained by EDXRF for primary screening, and further chemical testing by ICP-OES (for Cd, Pb, Hg), UV-Vis (for Cr (VI)) and GC/MS (for PBBs, PBDEs) is recommended to be performed, if the concentration exceeds the below warning value according to IEC62321-3-1:2013 (unit: mg/kg)

TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 10 of 20

c. BL = Below warning value, OL = Over Limit, IN = Inconclusive, LOD = Limit of Detection,

-- = Not Regulated, NA = Not Applicable.

d. The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.

Element	Polymer	Metal	Composite Materials
Cd	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$LOD < X < (150+3\sigma) \leq OL$
Pb	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$
Hg	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$
Br	$BL \leq (300-3\sigma) < X$	--	$BL \leq (250-3\sigma) < X$
Cr	$BL \leq (700-3\sigma) < X$	$BL \leq (700-3\sigma) < X$	$BL \leq (500-3\sigma) < X$

(2) a. 1mg/kg = 1ppm = 0.0001%, N.D.= Not Detected (<MDL), --- = Not Conducted.

b. Unit and Method Detection Limit (MDL) in wet chemical test

Test Items	Pb	Cd	Hg
Units	mg/kg	mg/kg	mg/kg
MDL	2	2	2

The MDL for single compound of PBBs & PBDEs is 5 mg/kg, MDL of Cr (VI) for polymer & composite sample is 2 mg/kg and MDL of DBP, BBP, DEHP and DIBP is 30mg/kg.

c. When Cr (VI) for metal sample is testing according to IEC 62321-7-1:2015, the unit is $\mu\text{g}/\text{cm}^2$, and the MDL is 0,10 $\mu\text{g}/\text{cm}^2$. When the Cr (VI) concentration is > the 0,13 $\mu\text{g}/\text{cm}^2$, the sample is positive for Cr(VI) and considered to contain Cr(VI); when the Cr (VI) concentration is N.D.(< the 0,10 $\mu\text{g}/\text{cm}^2$), the sample is negative for Cr(VI) and considered a non-Cr(VI) based coating; when the Cr (VI) concentration is $\geq$ the 0,10 $\mu\text{g}/\text{cm}^2$ and $\leq$ the 0,13 $\mu\text{g}/\text{cm}^2$, the result is considered to be inconclusive - Unavoidable coating variations may influence the determination.

d. ^①RoHS Exemption:7(c)-1, Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e. g. piezo electronic devices, or in a glass or ceramic matrix compound.

e. For necessary wet chemistry measurements (flame retardants, phthalates) components with a weight of less than 0.1 grams are not considered for testing and rating due to technical measurement reasons.

(3) The maximum permissible limit is quoted from the Directive (EU) 2015/863 - Amendment of EU RoHS Directive 2011/65/EU (RoHS 2.0) Annex II.

TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 11 of 20

RoHS Restricted Substances	Maximum Concentration Value (by weight in homogenous materials)
Lead (Pb)	0.1%
Cadmium (Cd)	0.01%
Mercury (Hg)	0.1%
Hexavalent Chromium (Cr VI)	0.1%
Polybrominated biphenyls (PBBs)	0.1%
Polybrominated diphenylethers (PBDEs)	0.1%
Dibutyl Phthalate (DBP)	0.1%
Benzybutyl Phthalate (BBP)	0.1%
Bis-(2-ethylhexyl) Phthalate (DEHP)	0.1%
Diisobutyl Phthalate (DIBP)	0.1%

RoHS Exemptions

Exemptions	
RoHS Directive 2011/65/EU ANNEX III	
Exemption Items	Expires Date
1, Mercury in single capped (compact) fluorescent lamps not exceeding (per burner):	
1(a), For general lighting purposes < 30 W:3,5 mg	2,5 mg shall be used per burner after 31 December 2012
1(b), For general lighting purposes ≥ 30 W and < 50W:3,5mg	
1(c), For general lighting purposes ≥ 50 W and < 150 W: 5 mg	
1(d), For general lighting purposes ≥ 150 W: 15 mg	
1(e), For general lighting purposes with circular or square structural shape and tube diameter ≤ 17 mm: 7 mg	
1(f), For special purposes: 5 mg	
2(a), Mercury in double-capped linear fluorescent lamps for general lighting purposes not exceeding (per lamp):	
2(a)(1), Tri-band phosphor with normal lifetime and a tube diameter < 9 mm (e. g. T2): 4 mg	
2(a)(2), Tri-band phosphor with normal lifetime and a tube diameter ≥ 9 mm and ≤ 17 mm (e. g. T5): 3 mg	
2(a)(3), Tri-band phosphor with normal lifetime and a tube diameter > 17 mm and ≤ 28 mm (e. g. T8):3.5mg	
2(a)(4), Tri-band phosphor with normal lifetime and a tube diameter > 28 mm (e. g. T12): 5 mg	Expires on 31 December 2012; 3,5 mg may be used per lamp after 31 December 2012
Exemptions	
RoHS Directive 2011/65/EU ANNEX III	

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 15 days only. The document is issued by Zhejiang HUAK Testing Technology Co., Ltd. this document cannot be reproduced except in full with our prior written permission.

TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 12 of 20

Exemption Items	Expires Date
2(a)(5), Tri-band phosphor with long lifetime ($\geq 25\,000$ h): 5 mg	
2(b), Mercury in other fluorescent lamps not exceeding (per lamp):	
2(b)(2), Non-linear halophosphate lamps (all diameters): 15 mg	Expires on 13 April 2016
2(b)(3), Non-linear tri-band phosphor lamps with tube diameter > 17 mm (e. g. T9):15mg	
2(b)(4), Lamps for other general lighting and special purposes (e.g. induction lamps):15mg	
3, Mercury in cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL) for special purposes not exceeding (per lamp):	
3(a), Short length (≤ 500 mm):3.5mg	
3(b), Medium length (> 500 mm and $\leq 1\,500$ mm):5mg	
3(c), Long length ($> 1\,500$ mm):13mg	
4(a), Mercury in other low pressure discharge lamps (per lamp):15mg	
4(b), Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index $R_a > 60$:	
4(b) -I, $P \leq 155$ W:30mg	
4(b) -II, 155 W $< P \leq 405$ W:40mg	
4(b) -III, $P > 405$ W:40mg	
4(c), Mercury in other High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner):	
4(c)-I, $P \leq 155$ W:25mg	
4(c)-II, 155 W $< P \leq 405$ W:30mg	
4(c)-III, $P > 405$ W:40mg	
4(d), Mercury in High Pressure Mercury (vapour) lamps (HPMV)	Expires on 13 April 2015
4(e), Mercury in metal halide lamps (MH)	
4(f), Mercury in other discharge lamps for special purposes not specifically mentioned in this Annex	
5(a), Lead in glass of cathode ray tubes	
5(b), Lead in glass of fluorescent tubes not exceeding 0,2 % by weight	
6(a), Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0,35 % lead by weight	Expires on 21 July 2026
6(b)-I, Lead as an alloying element in aluminium containing up to 0,4 % lead by weight	Expires on 21 July 2026(0.3%)

Exemptions

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 15 days only. The document is issued by Zhejiang HUAK Testing Technology Co., Ltd. this document cannot be reproduced except in full with our prior written permission.

TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 13 of 20

RoHS Directive 2011/65/EU ANNEX III	
Exemption Items	Expires Date
6(b)-II, Lead as an alloying element in aluminium containing up to 0,4 % lead by weight	Expires on 21 July 2026 and after that date may be used in spare parts for EEE placed on the market before 31 December 2024
6(c), Copper alloy containing up to 4 % lead by weight	Expires on 21 July 2026
7(a), Lead in high melting temperature type solders (i. e. lead- based alloys containing 85 % by weight or more lead)	Expires on 21 July 2026
7(b), Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signalling, transmission, and network management for telecommunications	
7(c)-I, Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound	Expires on 21 July 2026
7(c)-II, Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher	Expires on 21 July 2026
7(c)-III, Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC	Expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013
7(c)-IV, Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors	Expires on 21 July 2016
8(a), Cadmium and its compounds in one shot pellet type thermal cut- offs	Expires on 1 January 2012 and after that date may be used in spare parts for EEE placed on the market before 1 January 2012
8(b), Cadmium and its compounds in electrical contacts	
9, Hexavalent chromium as an anticorrosion agent of the carbon steel cooling system in absorption refrigerators up to 0,75 % by weight in the cooling solution	
9(b), Lead in bearing shells and bushes for refrigerant-containing compressors for heating, ventilation, air conditioning and refrigeration (HVACR) applications	
11(a), Lead used in C-press compliant pin connector systems	May be used in spare parts for EEE placed on the market before 24 September 2010
11(b), Lead used in other than C-press compliant pin connector systems	Expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013
12, Lead as a coating material for the thermal conduction module C- ring	May be used in spare parts for EEE placed on the market before 24 September 2010

Exemptions	
RoHS Directive 2011/65/EU ANNEX III	
Exemption Items	Expires Date

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 15 days only. The document is issued by Zhejiang HUAK Testing Technology Co., Ltd. this document cannot be reproduced except in full with our prior written permission.

TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 14 of 20

13(a), Lead in white glasses used for optical applications	
13(b), Cadmium and lead in filter glasses and glasses used for reflectance standards	
14, Lead in solders consisting of more than two elements for the connection between the pins and the package of microprocessors with a lead content of more than 80 % and less than 85 % by weight	Expires on 21 July 2026
15, Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages	
16, Lead in linear incandescent lamps with silicate coated tubes	Expires on 1 September 2013
17, Lead halide as radiant agent in high intensity discharge (HID) lamps used for professional reprography applications	
18(b), Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps when used as sun tanning lamps containing phosphors such as BSP (BaSi_2O_5 : Pb)	
21, Lead and cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glasses	
23, Lead in finishes of fine pitch components other than connectors with a pitch of 0,65 mm and less	May be used in spare parts for EEE placed on the market before 24 September 2010
24, Lead in solders for the soldering to machined through hole discoidal and planar array ceramic multilayer capacitors	
25, Lead oxide in surface conduction electron emitter displays (SED) used in structural elements, notably in the seal frit and frit ring	
29, Lead bound in crystal glass as defined in Annex I (Categories 1, 2, 3 and 4) of Council Directive 69/493/EEC (1)	
30, Cadmium alloys as electrical/mechanical solder joints to electrical conductors located directly on the voice coil in transducers used in high-powered loudspeakers with sound pressure levels of 100 dB (A) and more	
31, Lead in soldering materials in mercury free flat fluorescent lamps (which e. g. are used for liquid crystal displays, design or industrial lighting)	
32, Lead oxide in seal frit used for making window assemblies for Argon and Krypton laser tubes	

Exemptions	
RoHS Directive 2011/65/EU ANNEX III	
Exemption Items	Expires Date
33, Lead in solders for the soldering of thin copper wires of 100 μm diameter and less in power transformers	

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 15 days only. The document is issued by Zhejiang HUAK Testing Technology Co., Ltd. this document cannot be reproduced except in full with our prior written permission.

TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 15 of 20

34, Lead in cermet-based trimmer potentiometer elements	
37, Lead in the plating layer of high voltage diodes on the basis of a zinc borate glass body	
38, Cadmium and cadmium oxide in thick film pastes used on aluminium bonded beryllium oxide	
39, Cadmium in colour converting II-VI LEDs (< 10 µg Cd per mm ² of light-emitting area) for use in solid state illumination or display systems	Expires on 1 July 2014
40, Cadmium in photoresistors for analogue optocouplers applied in professional audio equipment	Expires on 31 December 2013
Note: 1. (1) OJ L 326, 29.12.1969, p.36. 2. For the purposes of Directive 2011/65/EU, a maximum concentration value of 0,1 % by weight in homogeneous materials for lead, mercury, hexavalent chromium, polybrominated biphenyls (PBB) and polybrominated diphenyl ethers (PBDE) and of 0,01 % by weight in homogeneous materials for cadmium shall be tolerated.	


TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 16 of 20

Photograph of Sample:





TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 17 of 20





TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 18 of 20



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 15 days only. The document is issued by Zhejiang HUAK Testing Technology Co., Ltd. this document cannot be reproduced except in full with our prior written permission.

Zhejiang HUAK Testing Technology Co., Ltd

E-Mail: derick@huakgroup.com

Tel: 0579-85892117

Add: 3rd Floor, Building 6, Area B, No. E21, Xinke Road, Choujiang Street, Jinhua City, Yiwu City, Zhejiang Province, China



<http://www.huakgroup.com>

TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 19 of 20





TEST REPORT

REPORT No.: HK0225040150

Date: April 22, 2025

Page 20 of 20



HUAK authenticate the photo on original report on

***** End of Report *****